

# Activate Matrix

Activate Matrix, as a minimally manipulated human placental membrane product, offers several potential benefits to a wound patient. These products, generally referred to as Cellular, Acellular, and Matrix-like Products (CAMPs), aim to create a more favorable wound bed environment for healing.

Key benefits for wound patients using products like Activate Matrix can include:

- **Support for Tissue Regeneration:** Activate Matrix is composed of extracellular matrix proteins, which act as a natural, biological barrier or wound cover. This extracellular matrix provides a structural framework that supports cell migration, the formation of new blood vessels (angiogenesis), and the deposition of new extracellular matrix components, all of which are crucial for tissue repair and regeneration.
- **Enhanced Healing Environment:** These products are designed to address the complex needs of chronic or difficult-to-heal wounds by providing a supportive environment for tissue repair. They can also enhance the body's natural healing processes.
- **Reduced Complications:** Wound closure, which CAMPs can encourage, minimizes infection risk, fluid loss, and reduces pain.
- **Source of Bioactive Molecules:** Placental-based products, like Activate Matrix, have a collagen scaffold and are associated with a variety of regulatory and anti-inflammatory factors. They contain growth factors, cytokines, and other bioactive molecules that stimulate tissue regeneration and wound healing. These factors are known to promote cellular recruitment, modulate inflammation, and stimulate tissue growth.
- **Natural Barrier:** Activate Matrix serves as a natural, biological barrier.
- **Improved Patient Outcomes:** Overall, CAMPs in wound care represent a significant advancement, contributing to improved patient outcomes and quality of life for those with chronic and difficult-to-heal wounds.

Activate™ Placental-Derived Allograft is comprised of the amniotic and chorionic membranes, and includes the intermediate (spongy) layer of the placenta. This product is designed as an innovative solution to serve as a barrier or wound cover across a spectrum of clinical needs. Leveraging the structural and biochemical properties of placental tissue, including extracellular matrix proteins, growth factors, and anti-inflammatory cytokines, Activate™ offers a comprehensive biologic approach for a variety of acute or chronic wound applications.

## PLACENTAL TISSUE

Placental tissue, previously considered biologic waste following delivery, is a pristine, newly formed extracellular matrix (ECM) replete with growth factors and cytokines produced to protect and support fetal development. Therefore, this tissue represents an untainted extracellular matrix—essentially a neomatrix.

## BENEFITS

Research and clinical studies going back over a century have exhibited the beneficial effects of utilizing human placental tissue to manage various types of wounds due to injury, disease, or surgical intervention. These studies have indicated several beneficial properties of the placental tissue, including serving as a protective wound barrier or cover, anti-microbial effects, and anti-inflammatory effects, among others (3,4).

## DESCRIPTIONS OF LAYERS

Broadly, placental tissue includes an internal or fetus-facing amnion and an external or maternal-facing chorion. The physical and biochemical properties of the two primary membranes are subtly different owing to the position they occupy in the placenta. The amnion is a thinner yet more compact layer of extracellular matrix, while the chorion is a slightly thicker but less compact matrix. Both layers are constituted of collagen fibers (predominantly Types I, III, IV, and V), along with other ECM proteins (including laminin, fibronectin, proteoglycans, and hyaluronic acid) plus numerous growth factors and cytokines (3).

## Properties

## ALL-NATURAL BIOLOGIC WOUND COVERING

The placental membrane is a newly formed extracellular matrix produced during pregnancy. In this role, the membranes play a critical role in cushioning and forming a

protective barrier around the developing fetus. Further, the placental membrane acts as a filter for water, soluble materials, and bioactive molecules present in the amniotic fluid (5).

#### ANTI-INFLAMMATORY

Placental membrane products have been shown to be immune privileged due to a significant decrease in Major Histocompatibility Complex (6) and Human Leukocyte Antigens (HLA) (7,8).

#### CELL SIGNALING AND BIOLOGIC FACTORS

The placental membrane extracellular matrix also functions as a binding site for a number of cell signaling cytokines and growth factors including bFGF, EGF, HA, TGF-beta, IL-1, 6 & 10, PDGF, MMPs and TIMPs (9,10,11,12).

#### WOUND ECM SCAFFOLD

The extracellular matrix of the placental membranes also acts as a substrate for host cell attachment and proliferation (1).

#### Safety

Donated tissues for Activate™ products are collected from fully consented mothers undergoing full term c-sections. Each donor is screened according to the strict standards required by the U.S. Food and Drug Administration and the American Association of Tissue Banks. Further, Activate™ Placental-Derived Allograft products undergo a validated terminal sterilization process to help ensure these products are safe. All donated tissue is obtained in partnership with FDA-regulated and accredited recovery organizations. Additional details of screening procedures can be found in the product package insert or Instructions for Use.

#### MATERNAL SCREENING INCLUDES:

Human Immunodeficiency Virus (HIV)

Hepatitis B Virus (HBV)

Hepatitis C Virus (HCV)

Syphilis

West Nile Virus (WNV NAT)

#### PRODUCT SUMMARY

Activate™ Placental-Derived Allograft products are minimally manipulated and dehydrated and are derived from human amniotic and chorionic membrane. Activate™ allograft tissues

retain the structural and functional characteristics of the starting placental membranes. The final products are verified to be terminally sterilized to a 10<sup>-6</sup> SAL.

#### INSTRUCTIONS FOR USE

Activate™ Placental-Derived Allograft (361 HCT/Ps) are intended as a natural biologic wound covering or skin substitute for cutaneous wounds. Use of Activate™ Placental-Derived Allograft by qualified healthcare professionals is for application in a physician office, outpatient, or inpatient setting.

#### ORDERING INFORMATION

Activate™ tissue is available in the following sizes for a variety of choices depending on the patient and circumstance: Product HCPCS Level II code Q4301, Activate™ matrix, per square centimeter.

<b>PRODUCT SKU:</b>	<b>PRODUCT SIZE:</b>
<b>ACT-27222</b>	<b>2 X 2</b>
<b>ACT-27224</b>	<b>2 X 4</b>
<b>ACT-27244</b>	<b>4 X 4</b>
<b>ACT-27248</b>	<b>4 X 8</b>